

Message

From: Ross, Andrew - DPHE Environmental Projects Manager [Andrew.Ross@denvergov.org]
Sent: 8/8/2019 9:43:02 PM
To: Aviles, Jesse [Aviles.Jesse@epa.gov]
Subject: RE: Two Pre-CERCLA screens
Attachments: VBI70_2424 E 40th PCS_CombinedRpt_EPA signed.pdf; VBI70_BrightonBlvd PCE_CombinedRpt_EPA signed.pdf

Jesse,

Is there one or two Pre-CERCLA screens? The two pdfs you sent look the same to me.

Thanks, Andrew

Andrew Ross

Environmental Projects Manager
[Department of Public Health & Environment](#)
Environmental Quality | City and County of Denver
PHONE: 720-865-5458
Follow us [@DDPHE](#)

[TELL US HOW WE'RE DOING -- CLICK HERE TO TAKE OUR CUSTOMER SATISFACTION SURVEY TODAY!](#)

This email transmission from the City and County of Denver, and any documents, files, or previous email messages attached to it, are intended solely for the individual(s) to whom it is addressed and may contain information that is confidential, legally privileged, and/or exempt from disclosure under applicable law. If you are not the intended recipient, you are hereby notified that any unauthorized review, forwarding, printing, copying, distribution, or use of this transmission or the information it contains is strictly prohibited. A misdirected transmission does not constitute waiver of any applicable privilege. If you received this transmission in error, please immediately notify the sender and delete the original transmission and its attachments. Thank you.

From: Aviles, Jesse <Aviles.Jesse@epa.gov>
Sent: Thursday, August 8, 2019 2:08 PM
To: Edewaard, Kara - DPHE Environmental Project Manager <Kara.Edewaard@denvergov.org>; Ross, Andrew - DPHE Environmental Projects Manager <Andrew.Ross@denvergov.org>
Cc: Fronczak, David <Fronczak.David@epa.gov>
Subject: [EXTERNAL] FW: Two Pre-CERCLA screens

Hello Kara and Andrew:

You may remember that some time ago I asked the EPA site assessment group to review the 39th Avenue and National Western environmental reports as part of the CAG concerns. I'm sharing the site assessment group review. In short, additional sampling is needed at the National Western Complex. David Fronczak is the contact for this effort. David, Andrew Ross is the City and County of Denver contact for the National Western work.

Let me know if you have questions.

Jesse

From: Fronczak, David <Fronczak.David@epa.gov>

Sent: Thursday, August 1, 2019 11:31

To: Aviles, Jesse <Aviles.Jesse@epa.gov>

Cc: Ketellapper, Victor <Ketellapper.Victor@epa.gov>; Alex Hedgepath - CDPHE <alex.hedgepath@state.co.us>

Subject: Two Pre-CERCLA screens

Hi Jesse: CDPHE recently completed the two pre-CERCLA screens requested. I've attached them both. We are NFRAPing one, and doing a Preliminary Assessment with limited sampling for the other. Please feel free to follow up with Alex Hedgepath (cc'd) or myself after you've had a chance to read them.

Thanks,
David

David Fronczak
Site Assessment Manager
Superfund & Emergency Management Division
US EPA Region 8
1595 Wynkoop Street
Denver, CO 80202
(303) 312-6096